

***AILEEN***

PTFE

Temperature : -200 °c +260 °c



PTFE ( Teflon )	VITON	EPDM	Santoprene
Ø 170 mm.	Ø 170 mm.	Ø 170 mm.	Ø 170 mm.
Ø 225 mm.	Ø 225 mm.	Ø 225 mm.	Ø 225 mm.
Ø 275 mm.	Ø 275 mm.	Ø 275 mm.	Ø 275 mm.

***aiLeen***

## Viton

Temperature : -40 °c +230 °



PTFE ( Teflon )	VITON	EPDM	Santoprene
Ø 170 mm.	Ø 170 mm.	Ø 170 mm.	Ø 170 mm.
Ø 225 mm.	Ø 225 mm.	Ø 225 mm.	Ø 225 mm.
Ø 275 mm.	Ø 275 mm.	Ø 275 mm.	Ø 275 mm.

***AILEEN***

## EPDM

Temperature : -55 °c +150 °c



PTFE ( Teflon )	VITON	EPDM	Santoprene
Ø 170 mm.	Ø 170 mm.	Ø 170 mm.	Ø 170 mm.
Ø 225 mm.	Ø 225 mm.	Ø 225 mm.	Ø 225 mm.
Ø 275 mm.	Ø 275 mm.	Ø 275 mm.	Ø 275 mm.

**aiLEEN**

## Santoprene

Temperature : -40 °c +130 °c



PTFE ( Teflon )	VITON	EPDM	Santoprene
Ø 170 mm.	Ø 170 mm.	Ø 170 mm.	Ø 170 mm.
Ø 225 mm.	Ø 225 mm.	Ø 225 mm.	Ø 225 mm.
Ø 275 mm.	Ø 275 mm.	Ø 275 mm.	Ø 275 mm.